Constitution of Records Conton

1040 °01

#### ROSS & ROBERTS, INC.

445553



1299 WEST BROAD STREET, STRATFORD, CT 06497 U.S.A.

TELEPHONE (203) 378-9363 TELEX 964285

Vinyl Fabrics

January 5, 1993

CERTIFIED MAIL P 348 640 912

U.S. Environmental Protection Agency P.O. Box 221470 Chantilly, Va. 22022



SDMS DocID

445553

Attention: Marilyn K. Goldberg

RE: SOLVENTS RECOVERY SERVICE

Dear Ms. Goldberg:

Please find enclosed Ross & Roberts response to the request for information dated December 7, 1992.

We certainly were appreciative of the extension, and made every effort to respond within the four (4) days granted.

Should there be any question regarding the enclosed information, please do not hesitate to contact me.

Sincerely,

ROSS & ROBERTS, INC.

Richard H. Stabler

Controller

encls. RHS:nan

1

#### ENCLOSURE B

#### Solvents Recovery Service of New England 104(e) Information Request Form for Generators

1.	Name	of	Respondent:	Ross	&	Roberts,	Inc.
----	------	----	-------------	------	---	----------	------

- 2. Date Information Request Completed: \_\_Jan. 4. 1993
- 3. For each transaction listed on Form 1 (attached), identify by chemical name the type of waste material that the Respondent sent for treatment or disposal to the Site or sent with a transporter for treatment or disposal to the Site. If the chemical name is not known, please state the trade name and the name of the manufacturer. Also identify the transporter of each waste volume and identify who made the decision to bring the waste to the Site -- the transporter, generator, or broker. Attach copies of all documents consulted, examined, or referred to in the preparation of answers to these questions.
- 4. At the end of Form 1 and consistent with the format of Form 1, identify and provide complete information on any additional transactions which do not appear on Form 1 or transactions which are in some manner incorrectly recorded on Form 1. Attach copies of all documents which provide information on these transactions.
- 5. If you are not the generator of any of the wastes attributed to you in the listing of transactions on Form 1 (i.e., you sent waste materials to the Site for disposal or treatment that were generated by a person other than you), please complete steps a through d below:
  - a) Provide the information requested for that transaction on Form 1;
  - b) Highlight the transaction by placing an asterisk (\*) to the left of the appropriate transaction date on Form 1; and
  - c) Provide the information requested on Form 2 (attached);
  - d) Attach copies of all documents consulted, examined, or referred in to the preparation of answers to these questions.
- 6. Please identify all persons consulted in the preparation of the answers to these questions. Indicate their relationship to the Respondent (e.g., current employee environmental manager, past employee maintenance department, etc.). Attach extra pages if necessary.

6. (	con	tin	ued)
------	-----	-----	------

Name: M. Rosenberg
Address 67 CHerry Hill Rd
Fairfield, CT 06432
Phone No. 203-372-6026
Relation to Respondent Exec. Vice-President
Name:C. Parsons
Address: 24 Edge Hill Circle
Monroe, CT 06438
Phone No. 203-459-1942
Relation to Respondent Plant Manager
Name: R.D. Heigel
Address: 24 McDermott Circle
Hamden, CT 06514
Phone No. 203-288-8066
Relation to Respondent: Techinal Director
Name: J. Amendola
Address: 40 Carlson Rd
West Haven, CT 06516
Phone No. 203-934-7418
Relation to Respondent: Ink Dept. Supervisor

6. (continued)					
Name: S. Youdin					
Address 23 Greyhollow Rd					
Norwalk, CT 06850					
Phone No. 203-847-7334					
Relation to Respondent Plastisol Dept. Supervisor					
Name: R. Molina					
Address: 277 Columbia Blvd					
Waterbury, CT 06710					
Phone No. 203-574-3674					
Relation to Respondent Converting Dept. Supervisor					
Name: R.H. Stabler					
Address: 45 Judson Pl					
Bridgeport, CT 06610					
Phone No. 203-334-8534					
Relation to Respondent: Controller, Ass't. Secterary					
Name: R.H. stabler, Jr.					
Address: 45 Judson Pl					
Bridgeport, CT 06610					

Phone No. 203-334-8534

Relation to Respondent: Cost & EDP Manager

7.	Please identify the person(s) completing this ques and identify the relationship to the Respondent. extra pages if necessary.	
	Name: Richard H. Stabler	
	Address: 45 Judson Pl	
	Bridgeport, CT 06610	
	Phone No. 203-334-8534	
	Relation to Respondent: Controller, Ass't. Secreta	ary
	Name: Richard H. Stabler, Jr.	
	Address: 45 Judson Pl	
	Bridgeport, CT 06610	
	Phone No. 203-334-8534	
	Relation to Respondent: Cost & EDP Manager	
	Name:	
	Address:	
	Phone No.	
	Relation to Respondent:	

#### mulachment A

Date shipped		12/11/73
Gallons Shipped		2,090
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	314
Methyl Ethyl Ketone	80.0%	1,672
Tetra Hyro Fouran (Pre 1975)	0.5%	10
Toluene (Pre 1975)	0.5%	10
Acetone (Pre 1975)	2.0%	32
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	10
2-NP (Pre 1975)	0.5%	10
DMF (pre 1975)	0.5%	10
→DMF (after 1975)	4.0%	
Pigments	1.0%	21
		2,090

# ${\tt Attach^{ment\ B}}$

Date shipped		12/11/73
Gallons Shipped		2,255
Formulation for Solid Waste		
Mineral Spirits	12.5%	282
PVC - Polyvinyl Chloride	45.5%	1,026
Phthalate Plasticizer	32.4%	731
Filler	7.0%	158
Pigments, Wetting Agents, Stabilizers & Blowing Agents	2.6%	59
		2,255

#### Attachment C

Date shipped		07/01/77
Gallons Shipped		1,210
Formulation for Solid Waste		
Mineral Spirits	12.5%	151
PVC - Polyvinyl Chloride	45.5%	551
Phthalate Plasticizer	32.4%	392
Filler	7.0%	85
Pigments, Wetting Agents, Stabilizers & Blowing Agents	2.6%	31
		1,210

#### Attachment D

Date shipped		09/30/77
Gallons Shipped		550
Formulation for Solid Waste		
Mineral Spirits	12.5%	69
PVC - Polyvinyl Chloride	45.5%	250
Phthalate Plasticizer	32.4%	178
Filler	7.0%	39
Pigments, Wetting Agents, Stabilizers & Blowing Agents	2.6%	14
		550

#### Attachment E

Date shipped		11/09/77
Gallons Shipped		770
Formulation for Solid Waste		
Mineral Spirits	12.5%	96
PVC - Polyvinyl Chloride	45.5%	350
Phthalate Plasticizer	32.4%	249
Filler	7.0%	54
Pigments, Wetting Agents, Stabilizers & Blowing Agents	2.6%	20
		770

#### Attachment F

Date shipped		12/21/77
Gallons Shipped		220
Formulation for Solid Waste		
Mineral Spirits	12.5%	28
PVC - Polyvinyl Chloride	45.5%	100
Phthalate Plasticizer	32.4%	71
Filler	7.0%	15
Pigments, Wetting Agents, Stabilizers & Blowing Agents	2.6%	6
		220

#### Attachment G

Date shipped		05/01/78
Gallons Shipped		1,155
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	173
Methyl Ethyl Ketone	80.0%	924
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
OMF (after 1975)	4.0%	46
Pigments	1.0%	12
		1,155

## Attachment H

Date shipped		05/01/78
Gallons Shipped		770
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	116
Methyl Ethyl Ketone	80.0%	616
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
→DMF (after 1975)	4.0%	31
Pigments	1.0%	8
		770

#### Attachment I

# ROSS & ROBERTS, INC. Shipments to SRS - 12/11/73 thru 12/03/79

Date shipped		05/01/78
Gallons Shipped		55
Formulation for Urethane Solvents		
Urethane Solids	25%	14
Solvents	75%	41
Toluene	60%	25
2-NP	10%	4
Xylol	30%	12

41

#### Attachment J

Date shipped		06/28/78
Gallons Shipped		2,145
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	322
Methyl Ethyl Ketone	80.0%	1,716
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
OMF (after 1975)	4.0%	86
Pigments	1.0%	21
		2,145

#### Attachment K

Date shipped		06/28/78
Gallons Shipped		440
Formulation for Urethane Solve	ents	
Urethane Solids	25%	110
Solvents	75%	330
Toluene	60%	198
2-NP	10%	33
Xylol	30%	99
		330

Attachment L

Date shipped		06/28/78
Gallons Shipped		330
Formulation for Urethane Sol	lvents	
Urethane Solids	25%	83
Solvents	75%	247
Toluene	60%	148
2-NP	10%	25
Xylol	30%	74
		247

#### Attachment M

Date shipped		09/28/78
Gallons Shipped		2,310
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	347
Methyl Ethyl Ketone	80.0%	1,848
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	·
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
DMF (after 1975)	4.0%	92
Pigments	1.0%	23
		2,310

#### Attachment N

Date shipped		09/28/78
Gallons Shipped		330
Formulation for Urethane Solv	rents	
Urethane Solids	25%	83
Solvents	75%	247
Toluene	60%	148
2-NP	10%	25
Xylol	30%	74
		247

#### Attachment O

Date shipped		10/09/78
Gallons Shipped		3,950
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	593
Methyl Ethyl Ketone	80.0%	3,160
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
OMF (after 1975)	4.0%	158
Pigments	1.0%	40
		3,950

#### Attachment P

Date shipped		12/06/78
Gallons Shipped		1,650
Formulation for Ketone		
PVC – Copolymer or Homopolymer	15.0%	248
Methyl Ethyl Ketone	80.0%	1,320
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
DMF (after 1975)	4.0%	66
Pigments	1.0%	17
		1,650

## Attachment Q

Date shipped		12/06/78
Gallons Shipped		495
Formulation for Urethane Solv	vents	
Urethane Solids	25%	124
Solvents	<b>7</b> 5%	371
Toluene	60%	223
2-NP	10%	37
Xylol	30%	111
		371
•		011

## Attachment R

Date shipped		12/06/78
Gallons Shipped		440
Formulation for Solid Waste		
Mineral Spirits	12.5%	55
PVC - Polyvinyl Chloride	45.5%	200
Phthalate Plasticizer	32.4%	143
Filler	7.0%	31
Pigments, Wetting Agents, Stabilizers & Blowing Agents	2.6%	11
		440

## Attachment S

Date shipped		02/15/79
Gallons Shipped		1,595
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	239
Methyl Ethyl Ketone	80.0%	1,276
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
DMF (after 1975)	4.0%	64
Pigments	1.0%	16
		1,595

Attachment T

Date shipped		02/15/79
Gallons Shipped		165
Formulation for Urethane Solvents		
Urethane Solids	25%	41
Solvents	75%	124
Toluene	60%	74
	10%	12
2-NP	30%	37
Xylol		
		124

## Attachment U

Date shipped		02/15/79
Gallons Shipped		660
Formulation for Solid Waste		
Mineral Spirits	12.5%	83
PVC - Polyvinyl Chloride	45.5%	300
Phthalate Plasticizer	32.4%	214
Filler	7.0%	46
Pigments, Wetting Agents, Stabilizers & Blowing Agents	2.6%	17
		660

#### Attachment V

Date shipped		05/02/79
Gallons Shipped		1,045
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	157
Methyl Ethyl Ketone	80.0%	836
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
DMF (after 1975)	4.0%	42
Pigments	1.0%	10
		1,045

Mercacimetre W

Date shipped		05/02/79
Gallons Shipped		55
Formulation for Urethane So	lvents	
Urethane Solids	25%	14
Solvents	75%	41
Toluene	60%	25
2-NP	10%	4
Xylol	30%	12
		41
		41

#### Attachment X

Date shipped		05/02/79
Gallons Shipped		660
Formulation for Solid Waste		
Mineral Spirits	12.5%	83
PVC - Polyvinyl Chloride	45.5%	300
Phthalate Plasticizer	32.4%	214
Filler	7.0%	46
Pigments, Wetting Agents, Stabilizers & Blowing Agents	2.6%	17
		660

#### Attachment Y

Date shipped		06/22/79
Gallons Shipped		1,210
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	182
Methyl Ethyl Ketone	80.0%	968
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
DMF (after 1975)	4.0%	48
Pigments	1.0%	12
		1,210

## Attachment Z

Date shipped		06/22/7	79
Gallons Shipped		7	770
Formulation for Urethane Solvents			
Urethane Solids	25%	1	193
Solvents	75%	5	577
Toluene	60%	3	346
2-NP	10%		58
Xylol	30%	1	73
		5	577

#### Attachment AA

Date shipped		06/22/79
Gallons Shipped		770
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	116
Methyl Ethyl Ketone	80.0%	616
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
DMF (after 1975)	4.0%	31
Pigments	1.0%	8
		770

#### Attachment BB

Date shipped		12/03/79
Gallons Shipped		990
Formulation for Ketone		
PVC - Copolymer or Homopolymer	15.0%	149
Methyl Ethyl Ketone	80.0%	792
Tetra Hyro Fouran (Pre 1975)	0.5%	
Toluene (Pre 1975)	0.5%	
Acetone (Pre 1975)	2.0%	
Methyl Iso Butyl Ketone (Pre 1975)	0.5%	
2-NP (Pre 1975)	0.5%	
DMF (pre 1975)	0.5%	
→DMF (after 1975)	4.0%	40
Pigments	1.0%	10
		990

#### Attachment CC

Date shipped		12/03/79
Gallons Shipped		110
Formulation for Urethane Solv	vents	
Urethane Solids	25%	28
Solvents	75%	82
Toluene	60%	49
2-NP	10%	8
Xylol	30%	24
•		82

# Solvents Recovery Service of New England Ross & Roberts, Inc.

Transaction Date (1)	Gallon Volume		Name/Address of Transporter	Name/Desc Selected					
12/11/73	<u> </u>		See Attachments A & B	Solvents Recovery Lazy La Southington, CT	Victor	Weiss	Vice	-President	
07/01/77	1,210.00	C	"	11	*11	†I	11		
09/30/77	550.00	D	II .	11	11	11	11		
11/09/77	770.00	E		ti	f1	11			
12/21/77	220.00	F	11		tt	11	11		
05/01/78	1,155.00	G	и		Ħ				
05/01/78	770.00	Н	11	11	11	11	11		
05/01/78	55.00	. <u> </u>	"	n	11	11	II		
06/28/78	2,145.00	:		• • • • • • • • • • • • • • • • • • •	ts.	71	11 .		
06/28/78	440.00	K	11	11	řŧ.	11	11		

#### Notes:

- (1) The transaction date refers to the date the waste was delivered to SRSNE. This date may differ from the date the waste left the generator's facility, (particularly if the transaction was brokered by another party), and therefore may not match exactly with your records. EPA expects you to make your best efforts to correlate your records with EPA's documents. This is to prevent double-counting of shipments in EPA's volumetric ranking.
- (2) All gallon volumes are waste-in transactions to SRSNE.
- (3) Please state waste type by chemical name. If the chemical name is not known, please state the trade name and the manufacturer's name.
- (4) e.g., XYZ Chemical Company generator; ABC Waste Trucking transporter; EFG Waste Disposal Service broker.

FORM 1

## Solvents Recovery Service of New England Ross & Roberts, Inc.

Transaction Date (1)				/Address ransporter	Name/Des Selected			
		SEE ATTACHMENT	Solvent	ts Recovery Service	S			
06/28/78	330.00	L	Lazy La	a Southington, CT	Victor	Weiss	Vice-	President
09/28/78	2,310.00	M	11	tt	11	н	"	11
09/28/78	330.00	N	11	11	11	11	11	
10/09/78	3,950.00	0		II .	II	н	11	11
12/06/78	1,650.00	PP	11	11	11	11	11	11
12/06/78	495.00	Q	11	п	·u	11	H	11
12/06/78	440.00	R	11	11	u	11	11	11
02/15/79	. 1,595.00	S	11	: "	11	11	н.	н
02/15/79	165.00	т	ři .	. "	11	11	H ·	П
02/15/79	660.00	U	11	11	11	11	11	**
05/02/79	1,100.00	V & W	11	11	11	†1	ff	11
05/02/79	660.00	X	71	11	11	11	If	"
06/22/79	1,210.00	Y	re	(1	"	11	11	19
06/22/79	770.00	z	tt .	11	H	. 11	**	11
06/22/79	770.00	AA	11	11	n	11	11	***
12/03/79	990.00		11	11	11	11	H	PI
12/03/79	110.00		11	11	11	11	***	п
,,			<del></del>					